



SIGN	DATE	DESCRIPTION	APPROVER
△	2012.10.03	USB 2.0 detail added	SHIN


THIS IS CAD DRAWING, DO NOT REVISE MANUALLY!!!



MATERIAL:
 TERMINAL: PHOSPHOR BRONZE
 HOUSING: P.B.T+30% G.F(UL94V-0) RATED

SPECIFICATION
 CONTACT RESISTANCE: 30mΩ (MAX)
 INSULATION RESISTANCE: 1000MΩ (MIN)
 DIELECTRIC: WITHSTANDING VOLTAGE: 750V AC AT SEA LEVEL
 MATING FORCE: 35N MAX
 UNMATING FORCE: 10N MIN.

RoHS Compliant



PART NUMBER:

USB-A3HSXX

COLOR:
 B: Black
 W: White

PLATING:
 6: Selective Au Flash/50u" Ni
 8: Selective 30u" Au/50u" Ni (USB 2.0)

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ON-SHORE TECHNOLOGY, INC. AND SHALL NOT BE REPRODUCED, COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF ON-SHORE TECHNOLOGY, INC.

NO.	NAME	MATERIAL	FINISH	Q'TY	REMARK
1	HOUSING	PBT G.F.	BLACK	1	
2	PIN TERM.	PHOS. BRONZE	GOLD-TIN PLATED	12	Gold: 3u" ; Ni: 40-60u" ; Tin: 120u" (100% pure Tin of lead free plating)
3	SHELL	BRASS, 0.3mm	TIN PLATED	1	TIN: 120~200u"
4	SHELL	BRASS, 0.3mm	TIN PLATED	1	TIN: 120~200u"
5	SHELL	SPCC, 0.3mm	NICKEL PLATED	1	Ni: 80~120u"
6	BOTTOM COVER	PBT G.F.	BLACK	1	



TITLE		USB - A type, Horizontal, thru hole, 3 ports	
PART NO.	USB-A3HSXX	DWG NO.	USB-A3HSXX.DWG
APPROVED	CHECKED	DESIGNED	DRAWN
Justin 2006.07.03	Justin 2006.07.03	Justin 2006.07.03	Justin 2006.07.03
SHEET: 01/01		1200/2090	
SCALE: NONE		Tolerance	
REV.: A		X° ±1° X.X ±0.38/.015 X.XX ±0.25/.010 X.XXX ±0.13/.005	